EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(record$4 or reproduc$4) and ((record$4 near3 position$1) same (amplitude near4 gain$1) same (tim$4 near3 recover$3)) and (first near3 redundant near3 code$1) and (second near4 redundant near4 code$1) and ((soft or hard) near3 (output or decision$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:06
L2	1	(record$4 or reproduc$4) and (first near3 redundant near3 code$1) and (second near4 redundant near4 code$1) and ((soft or hard) near3 (output or decision$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:05
L3	1	(record$4 or reproduc$4) and (first near3 redundant near3 code$1) and (second near4 redundant near4 code$1) and (Reed-solomon near3 cod$3) and (turbo near3 cod$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:05
L4	356	(record$4 or reproduc$4) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and (turbo near3 (encod$4 or cod$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:08
L5	31	(record$4 or reproduc$4) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and ((turbo or concatenated) near3 (encod$4 or cod$4)) and (redundant near3 cod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:09
L6	9	((record$4 or reproduc$4) near4 (process$4 or medium)) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and ((turbo or concatenated) near3 (encod$4 or cod$4)) and (redundant near3 cod$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:11

L7		3	((record$4 or reproduc$4) near4 (process$4 or medium)) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and ((turbo or concatenated) near3 (encod$4 or cod$4)) and (redundant near3 cod$3 near3 sequence$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:12
L8		3	((record$4 or reproduc$4) near4 (process$4 or medium)) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and ((turbo or concatenated) near3 (encod$4 or cod$4)) and (redundant near3 cod$3 near3 sequence$1) and (interleav$4 or permut$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:15
L9		3	((record$4 or reproduc$4)) and ((Reed-solomon or RS) near3 (encod$4 or cod$3)) and ((turbo or concatenated) near3 (encod$4 or cod$4)) and (redundant near3 cod$3 near3 sequence$1) and (interleav$4 or permut$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/30 10:15

EAST
PGPUB
Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((record$4 or reproduc$4) and ((record$4 near3 position$1) same (amplitude near4 gain$1) same (tim$4 near3 recover$3)) and (first near3 redundant near3 code$1) and (second near4 redundant near4 code$1) and ((soft or hard) near3 (output or decision$1))).clm.	US-PGPUB	OR	OFF	2007/08/30 10:30
L2	0	((record$4 or reproduc$4) and (information near3 code$1 near3 sequence$1) and (redundant near4 code$1 near3 sequence$1) and ((switch$4 or chang$4) near3 code$1)) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:35
L3	0	((information near3 code$1 near3 sequence$1) and (redundant near4 code$1 near3 sequence$1) and ((switch$4 or chang$4) near3 code$1)) .clm.	US-PGPUB	OR	OFF	2007/08/30 10:35
L4	1	((information near3 code$1 near3 sequence$1) and (redundant near4 code$1 near3 sequence$1)). clm.	US-PGPUB	OR	OFF	2007/08/30 10:35